



This update is provided as a courtesy to Southern's Customers and Southern does not warrant the accuracy of any information provided below.

This information is not an OFO (Operational Flow Order) notice and should not be relied on by any customer in assessing its operational or gas requirements.

Shippers are obligated to stay within their daily entitlements regardless of the system conditions.

Probability Codes

<u>Operating Condition (OC)</u>	<u>OFO-Type 3/4 (OFO3P/OFO4P)</u>
N - Normal	UL - Unlikely
L1- Level 1	TC - Too Close to Call
L2 - Level 2	L - Likely
L3 - Level 3	HL - Highly Likely
	OFO - OFO in effect

Date: Sunday, 25 June, 2017

<b>Sun, Jun 25</b>	<b>JAN</b>	<b>BHM</b>	<b>GAD</b>	<b>MGM</b>	<b>CHA</b>	<b>ATL</b>	<b>MCN</b>	<b>CAE</b>	<b>ABY</b>	<b>SSI</b>	<b>SAV</b>	<b>TYS</b>	<b>HSV</b>
SMT 75 Mean	71	72	69	75	71	73	77	80	78	83	81	68	71
OC	N	N	N	N	N	N	N	N	N	N	N	N	N
OFO3P	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL
OFO4P	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL

<b>Mon, Jun 26</b>	<b>JAN</b>	<b>BHM</b>	<b>GAD</b>	<b>MGM</b>	<b>CHA</b>	<b>ATL</b>	<b>MCN</b>	<b>CAE</b>	<b>ABY</b>	<b>SSI</b>	<b>SAV</b>	<b>TYS</b>	<b>HSV</b>
SMT 74 Mean	75	74	71	75	71	73	74	76	76	79	77	67	72
OC	N	N	N	N	N	N	N	N	N	N	N	N	N
OFO3P	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL
OFO4P	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL

<b>Tue, Jun 27</b>	<b>JAN</b>	<b>BHM</b>	<b>GAD</b>	<b>MGM</b>	<b>CHA</b>	<b>ATL</b>	<b>MCN</b>	<b>CAE</b>	<b>ABY</b>	<b>SSI</b>	<b>SAV</b>	<b>TYS</b>	<b>HSV</b>
SMT 73 Mean	75	72	68	75	69	72	75	74	76	80	78	64	70
OC	N	N	N	N	N	N	N	N	N	N	N	N	N
OFO3P	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL
OFO4P	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL

<b>Wed, Jun 28</b>	<b>JAN</b>	<b>BHM</b>	<b>GAD</b>	<b>MGM</b>	<b>CHA</b>	<b>ATL</b>	<b>MCN</b>	<b>CAE</b>	<b>ABY</b>	<b>SSI</b>	<b>SAV</b>	<b>TYS</b>	<b>HSV</b>
SMT 77 Mean	77	77	74	79	76	76	77	77	79	81	78	73	77
OC	N	N	N	N	N	N	N	N	N	N	N	N	N
OFO3P	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL
OFO4P	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL

<b>Thu, Jun 29</b>	<b>JAN</b>	<b>BHM</b>	<b>GAD</b>	<b>MGM</b>	<b>CHA</b>	<b>ATL</b>	<b>MCN</b>	<b>CAE</b>	<b>ABY</b>	<b>SSI</b>	<b>SAV</b>	<b>TYS</b>	<b>HSV</b>
SMT 79 Mean	78	79	76	80	79	79	79	80	80	81	80	76	79
OC	N	N	N	N	N	N	N	N	N	N	N	N	N
OFO3P	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL
OFO4P	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL	UL

<b>For weather and OFO probability:</b>	
<b>JAN-</b>	Includes Zone 1
<b>BHM-</b>	Includes Birmingham Group, McConnells to Providence, McConnells West Zn2, Pell City to Bell Mills
<b>GAD-</b>	Includes Tarrant to Gadsden
<b>MGM-</b>	Includes South Main Zn 2
<b>CHA-</b>	Includes Chattanooga Line 170, Chattanooga Line 180
<b>ATL-</b>	Includes Atlanta Group North, North of Thomaston
<b>MCN-</b>	Includes Ellerslie to Thomaston, Thomaston to Ocmulgee
<b>CAE-</b>	Includes East of Wrens
<b>ABY-</b>	Includes Albany to Douglas, Albany to Pavo, Americus to Unadilla, Chattahoochee Valley, Holy Trinity to Albany, Jacksonville Line, Occidental to Florida Power, Pavo to Occidental Tap, Tallahassee Line
<b>SSI-</b>	Includes Brunswick Line, East South Main Zn3
<b>SAV-</b>	Includes Savannah Line, Cypress Line
<b>TYS-</b>	Includes East Tennessee
<b>HSV-</b>	Includes North AL Line