

TGP - Outage Impact Report Seven Day Forecast (updated 07/20/17)									-Major impact restrictions may be necessary
									-Minor impact restrictions may be necessary depending on flow conditions
									-Little to no impact, though minor outages may cause incremental reductions
Station # / Lateral (FH)=forward haul (BH)=backward haul	Est Nominal Design Capacity (Thousand Dth)	Saturday (7/22)	Sunday (7/23)	Monday (7/24)	Tuesday (7/25)	Wednesday (7/26)	Thursday (7/27)	Friday (7/28)	Primary Outage(s) that may impact Throughput
Est. Operational Capacity (Operational Impact) - Thousand Dth									
Station 409 (Donna Line) (segment 490 FH)	561	537	537	537	537	537	537	537	
Station 1 (segment 409 BH)	262	238	238	238	238	238	238	238	
Station 9 (segment 101 BH)	688	688	688	688	688	688	688	688	
Station 17 South of Zone 100L SP (segment 109 BH)	734	650 (84)	650 (84)	650 (84)	650 (84)	650 (84)	650 (84)	650 (84)	MLV 17-2 to 20-2: Spike Test (M) (6/5/2017 - 8/5/2017)
Sta. 47 (segment 143 FH)	570	507	507	507	507	507	507	507	
MLV 823 (segment 823 BH)	83	83	83	83	83	83	83	83	
MLV 843 (segment 834 BH)	223	223	223	223	223	223	223	223	
Station 546 (segment 542 BH)	1,498	1,216	1,216	1,216	1,216	1,216	1,216	1,216	
Station 860 (segment 548 BH)	1,527	1,245	1,245	1,245	1,245	1,245	1,245	1,245	
Station 110 (segment 187 BH) (south thru Kentucky)	2,369	2150 (219)	2150 (219)	2280 (89)	2280 (89)	2280 (89)	2280 (89)	2280 (89)	MLV 87-3 to 88-3: Pipe Recoat (7/21/2017 - 7/23/2017) MLV 106-4D to 108-4: Spike Test (7/20/2017 - 10/7/2017) MLV 864-1 to 865-1: Anomaly Remediation (7/24/2017 - 7/29/2017) Sta. 871-2A: Compressor Overhaul (7/10/2017 - 7/28/2017)
Station 114 (segment BH)	710	710	710	300 (410)	300 (410)	300 (410)	300 (410)	300 (410)	MLV 120-2: Anomaly Remediation (7/24/2017 - 7/30/2017)
Station 204 (Segment 204 BH)	1,838	1780 (58)	1780 (58)	1780 (58)	1780 (58)	1780 (58)	1780 (58)	1780 (58)	Sta. 200-6A: Unit Maintenance (7/24/2017 - 8/4/2017) Sta. 204-12A: Unit Maintenance (6/19/2017 - 7/28/2017) MLV 204-2 to MLV 209-2: Anomaly Remediation (7/5/2017 - 7/29/2017) Sta. 214-1A: Foundation Replacement (3/27/2017 - 8/1/2017) Sta. 214-3A thru 6A: Unit Maintenance (7/17/2017 - 8/2/2017)
Station 237 (segment 237 FH)	1,020	1,004	1,004	1,004	1,004	1,004	1,004	1,004	
Station 245 (segment 245 FH)	1,029	840 (173)	840 (173)	840 (173)	840 (173)	840 (173)	840 (173)	840 (173)	MLV 237-1 to MLV 245-1: Anomaly Digs (6/19/2017 - 7/29/2017)
Station 254 (segment 256 FH)	1,180	1,164	780 (384)	780 (384)	780 (384)	780 (384)	780 (384)	780 (384)	MLV 251-2 & 251-3: Tie-In (7/23/2017 - 7/29/2017) MLV 251-2 to 252-2: Hydrotest (7/24/2017 - 8/1/2017) MLV 257-3: Tie-In (7/24/2017 - 8/3/2017)
Station 261 (segment 260 FH)	1,091	1,080	1,080	1,080	1,080	1,080	1,080	1,080	
Station 307 (segment 307 BH)	1,185	1,145	1,145	1,145	1,145	1,145	1,145	1,145	
Station 315 (segment 315 BH)	1,781	1,781	1,781	1,781	1,781	1,781	1,781	1,781	
Sta. 325 (segment 324 FH)	1,597	1,597	1,597	1,597	1290 (307)	1,597	1,597	1,597	Sta. 325: ESD Test (7/25/2017 - 7/25/2017)
Sta. 229 (Segment 224 FH)	384	370 (14)	370 (14)	370 (14)	370 (14)	370 (14)	370 (14)	370 (14)	Sta. 229-6A: Unit Maintenance (5/30/2017 - 9/30/2017)

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates within this report. The impacts forecasted on this sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

Outage Capacity Impact Report August 2017 (updated 07/20/17)							-Major impact restrictions may be necessary
							-Minor impact restrictions may be necessary depending on flow conditions
							-Little to no impact, though minor outages may cause incremental reductions
Station # / Lateral	Est Nominal Design Capacity (Thousand Dth)	Week 1 (7/31 - 8/6)	Week 2 (8/7 - 8/13)	Week 3 (8/14 - 8/20)	Week 4 (8/21 - 8/27)	Week 5 (8/28 - 9/3)	Primary Outage(s)
Est. Operational Capacity (Operational Impact) - Thousand Dth							
Station 409 (Donna Line) (segment 490 FH)	561	537	537	537	537	537	
Station 1 (segment 409 BH)	262	238	238	238	238	238	
Station 9 (segment 101 BH)	688	688	688	688	688	650 (38)	MLV 17-1 to 12-1: Pressure Weld Replacement (M) (9/1/2017 - 10/31/2017) Sta. 25: ESD Test (8/28/2017 - 9/1/2017)
Station 17 South of Zone 100L SP (segment 109 BH)	734	650 (84)	650 (84)	650 (84)	650 (84)	650 (84)	MLV 17-1 to 20-1: Spike Test (M) (7/31/2017 - 9/30/2017) MLV 17-2 to 20-2: Spike Test (M) (6/5/2017 - 8/5/2017)
Sta. 47 (segment 143 FH)	570	507	507	507	507	507	
MLV 823 (segment 823 BH)	83	0 (83)	0 (83)	0 (83)	83	83	MLV 823 to MLV 824: Pipe Recoat (4/3/2017 - 8/12/2017) MLV 826 to MLV 827: Hydrotest (M) (7/28/2017 - 8/14/2017) Sta. 827: Station Reversal (5/9/2017 - 8/17/2017)
MLV 843 (segment 834 BH)	223	223	223	223	0 (223)	0 (223)	Sta 834: Station Outage (6/1/2016 - 7/31/2017) MLV 836 to MLV 837: Delhi Lateral Tie-In (8/21/2017 - 8/31/2017) Sta. 836A: Station Tie-In (8/21/2017 - 8/31/2017)
Station 546 (segment 542 BH)	1,498	1,216	1,216	1,216	1,216	1,216	
Station 110 (segment 187 BH) (south thru Kentucky)	2,369	2220 (149)	2220 (149)	2220 (149)	2120 (249)	2120 (249)	MLV 96-2 to 87-2: ILCleaning: 8/22, 8/24 & 8/29 (8/22/2017 - 8/29/2017) MLV 106-4D to 108-4: Spike Test (7/20/2017 - 10/7/2017) Sta. 871-3A: Power Side Overhaul (7/31/2017 - 8/18/2017)
Station 114 (segment BH)	710	710	710	710	710	300 (410)	MLV 119-2: Pipe Replacement (9/1/2017 - 9/14/2017) MLV 119-2: Broad Run Expansion Tie-In (9/1/2017 - 9/14/2017)
Station 204 (Segment 204 BH)	1,838	1800 (38)	1400 (438)	1820 (18)	1820 (18)	1820 (18)	MLV 200-4B to MLV 204-4: Anomaly Remediation (8/7/2017 - 8/13/2017) Sta. 200-6A: Unit Maintenance (7/24/2017 - 8/4/2017) Sta. 204-1A: Unit Maintenance (8/14/2017 - 8/18/2017) Sta. 204-3A: Unit Maintenance (7/31/2017 - 8/1/2017) MLV 204-4 to MLV 208-4: Anomaly Remediation (8/7/2017 - 8/13/2017) MLV 205-1 to 206-1: Anomaly Remediation (8/14/2017 - 8/30/2017) Sta. 209-7A: Unit Maintenance (8/7/2017 - 8/18/2017) Sta. 209-8A: Unit Maintenance (7/31/2017 - 8/4/2017) Sta. 214-1A: Foundation Replacement (3/27/2017 - 8/1/2017) Sta. 214-3A thru 6A: Unit Maintenance (7/17/2017 - 8/2/2017)
Station 237 (segment 237 FH)	1,020	1,004	1,004	1,004	1,004	1,004	
Station 245 (segment 245 FH)	1,029	1,013	1,013	1,013	1,013	1,013	
Station 254 (segment 256 FH)	1,180	780 (384)	980 (184)	980 (184)	980 (184)	1,164	MLV 251-2 to 252-2: Hydrotest (7/24/2017 - 8/1/2017) MLV 251-1 & 251-3: Tie-In (7/31/2017 - 8/22/2017) MLV 257-3: Tie-In (7/24/2017 - 8/3/2017)
Station 261 (segment 260 FH)	1,091	1,080	660 (420)	660 (420)	660 (420)	660 (420)	MLV 260-1 to 261-1A: Tie-In (8/7/2017 - 8/29/2017)
Station 307 (segment 307 BH)	1,185	1,145	1,145	1,145	1,145	1,145	
Station 315 (segment 315 BH)	1,781	1680 (101)	1680 (101)	1,781	1,781	1,781	Sta. 317: Cooler, Filter/Separator, & Electrical Tie-Ins (7/31/2017 - 8/9/2017)
Sta. 325 (segment 324 FH)	1,597	1,597	1,597	1090 (507)	1090 (507)	1280 (317)	MLV 321-2 to MLV 325-2: Anomaly Remediation (8/15/2017 - 8/26/2017) MLV 325-1 to MLV 329-1: Anomaly Digs (8/28/2017 - 11/11/2017)
Sta. 229 (segment 224 FH)	384	370 (14)	370 (14)	370 (14)	370 (14)	360 (24)	MLV 224-2 to Kinder Road: Anomaly Remediation (8/28/2017 - 9/8/2017) Sta. 229-6A: Unit Maintenance (5/30/2017 - 9/30/2017)

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates within this report. The impacts forecasted on this sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.

Outage Capacity Impact Report September 2017 (updated 07/20/17)						Major impact restrictions may be necessary
						Minor impact restrictions may be necessary depending on flow conditions
						Little to no impact, though minor outages may cause incremental reductions
Station # / Lateral	Est Nominal Design Capacity (Thousand Dth)	Week 1	Week 2	Week 3	Week 4	Primary Outage(s)
		(9/4 - 9/10)	(9/11 - 9/17)	(9/18 - 9/24)	(9/25 - 10/1)	
Est. Operational Capacity (Operational Impact) - Thousand Dth						
Station 409A (Alamo) (segment 492 FH)	241	241	241	150 (91)	150 (91)	Sta. 409A: Automation Controls Upgrade (9/18/2017 - 10/13/2017)
Station 409 (Donna Line) (segment 490 FH)	561	537	537	537	537	
Station 1 (segment 409 BH)	262	238	238	238	238	
Station 9 (segment 101 BH)	688	650 (38)	650 (38)	650 (38)	650 (38)	MLV 17-1 to 12-1: Pressure Weld Replacement (M) (9/1/2017 - 10/31/2017)
Station 17 South of Zone 100L SP (segment 109 BH)	734	650 (84)	650 (84)	650 (84)	650 (84)	MLV 17-1 to 20-1: Spike Test (M) (7/31/2017 - 9/30/2017)
Sta. 47 (segment 143 FH)	570	507	507	507	507	
MLV 823 (segment 823 BH)	83	83	83	83	83	
MLV 843 (segment 834 BH)	223	223	223	223	223	
Station 546 (segment 542 BH)	1,498	1,216	1,216	1,216	1,216	
Station 860 (segment 548 BH)	1,527	1,245	1,245	1,245	1,245	
Station 110 (segment 187 BH) (south thru Kentucky)	2,369	2280 (89)	2150 (219)	2150 (219)	2150 (219)	MLV 106-4D to 108-4: Spike Test (7/20/2017 - 10/7/2017) Sta. 875: Tie-Ins (9/11/2017 - 9/30/2017)
Station 114 (segment BH)	710	300 (410)	300 (410)	710	710	MLV 119-2: Pipe Replacement (9/1/2017 - 9/14/2017) MLV 119-2: Broad Run Expansion Tie-In (9/1/2017 - 9/14/2017)
Station 204 (Segment 204 BH)	1,838	1,838	1,838	1580 (258)	1,838	Station 214: Header Piping Modifications (9/18/2017 - 9/21/2017)
Station 237 (segment 237 FH)	1,020	1,004	1,004	1,004	1,004	
Station 245 (segment 245 FH)	1,029	1,013	1,013	1,013	1,013	
Station 254 (segment 256 FH)	1,180	1,164	1,164	1,164	1,164	
Station 261 (segment 260 FH)	1,091	1,080	980 (100)	680 (400)	980 (100)	Sta. 261-1D, 1C & 5A: Borescope Maintenance (9/12/2017 - 9/15/2017) Sta. 261-4A: Unit Maintenance (9/25/2017 - 9/28/2017) Sta. 261-1C & 2C: Borescope Maintenance (9/19/2017 - 9/20/2017)
Station 307 (segment 307 BH)	1,185	1,145	1,145	1,145	1,145	Sta. 219 "B" Building: Turbocharger Re-Wheeling (9/5/2017 - 10/13/2017) Sta. 307-4A: Unit Maintenance (5/15/2017 - 9/30/2017)
Station 315 (segment 315 BH)	1,781	1,781	1,781	1,781	1,781	
Sta. 325 (segment 324 FH)	1,597	1280 (317)	1280 (317)	1280 (317)	1280 (317)	MLV 325-1 to MLV 329-1: Anomaly Digs (8/28/2017 - 11/11/2017)
Sta. 229 (segment 224 FH)	384	360 (24)	370 (14)	370 (14)	370 (14)	MLV 224-2 to Kinder Road: Anomaly Remediation (8/28/2017 - 9/8/2017) Sta. 229-6A: Unit Maintenance (5/30/2017 - 9/30/2017) MLV 229-2 to MLV 232-2: Anomaly Digs (9/11/2017 - 9/16/2017)

This document is updated on a weekly basis and outage schedules/impacts are subject to change as the week progresses. Dates posted on DART should be deemed correct in the event of conflicts between DART posted dates and dates within this report. The impacts forecasted on this sheet are based on steady-state hydraulic models assuming recent operating flows, conditions, and various unit outages.